



ООО «АтомЭлектроКомплект» (Минск,
Беларусь) www.electro-max.by

Name	Item NO.	Pictures	Specification
Pop-up tabletop socket	BW-T60		<p>Modules: 1 power, 1data,1tel Corner:straight/round Panel size:138*135*7mm Box size:110*130*60mm N.W: 1.4kg Package:20pcs/ctn Package size:65*50*20cm Material: zinc alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
Pop-up tabletop socket	BW-T610A		<p>Modules:2power,1 data Corner:straight /round Panel size: 266*130*7mm Box size:224*110*60mm Package:10pcs/ctn Package size:65*40*20cm N.W: 1.8kg Material: zinc alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>

<p>Pop-up tabletop socket</p>	<p>BW-T610B</p>		<p>Modules: 1 power, 2 data, 1 TEL, 1 VGA Corner: straight / round Panel size: 266*130mm Box size: 224*110*60mm Package: 10 pcs/ctn Package size: 65*40*20cm N.W: 1.8kg Material: stainless steel Color: silver Voltage: 110-220V/50HZ Ground connection</p>
<p>Pop-up tabletop socket</p>	<p>BW-T611A</p>		<p>Modules: 1 power, 2 data, 1 MIC, 1 VGA, 1 RCA Corner: straight / round Panel size: 266*130*7mm Box size: 224*110*60mm N.W: 1.8kg Package: 10 pcs/ctn Package size: 65*40*20cm Material: zinc alloy Color: silver/black Voltage: 110-220V/50HZ Ground connection</p>
<p>Pop-up tabletop socket</p>	<p>BW-T611B</p>		<p>Modules: 1 power, 2 data, 1 MIC, 1 VGA, 1 RCA Corner: straight / round Panel size: 266*130*7mm Box size: 224*110*60mm N.W: 1.8kg Package: 10 pcs/ctn Package size: 65*40*20cm Material: stainless steel Color: silver Voltage: 110-220V/50HZ Ground connection</p>

<p>Pop-up tabletop socket</p>	<p>BW-T612A</p>		<p>Modules:2 power,2 data,1 MIC,1 VGA Corner:straight /round Panel size: 266*130*7mm Box size:224*110*60mm N.W: 1.8kg Package:10pcs/ctn Package size:65*40*20cm Material: zinc alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Pop-up tabletop socket</p>	<p>BW-T612B</p>		<p>Modules:2 power,2 data,1 MIC,1 VGA Corner:straight /round Panel size: 266*130*7mm Box size:224*110*60mm N.W: 1.8kg Package:10pcs/ctn Package size:65*40*20cm Material: stainless steel Color: silver Voltage:110-220V/50HZ Ground connection</p>
<p>Kitchen tabletop socket</p>	<p>BW-K62</p>		<p>Moduels: 2 power, 1 data, 1 audio, 1 switch Product size: 339*71*60mm Cutout size: R=50mm Material: aluminum alloy, plastic Color: silver Voltage:110-220V/50HZ Ground connection</p>

Wall socket	BW-W635	 A long, narrow white wall socket with six circular ports. From left to right: a power outlet, a microphone input, two data ports, an audio input, and a video input.	<p>moduels: 1 power, 1 double audio,1 MIC, 2 data, 1 vedio, 1 HDMI, I VGA, 1 audio</p> <p>Size: 370*80*5mm</p> <p>N.W: 0.7kg</p> <p>Package size:40*12*8cm</p> <p>Material: aluminum alloy</p> <p>Color: silver/black</p> <p>Voltage:110-220V/50HZ</p> <p>Ground connection</p>
Wall socket	BW-W634	 A long, narrow white wall socket with four circular ports. From left to right: a power outlet, another power outlet, a microphone input, and two data ports.	<p>moduels: 2power, 1 double audio,1 MIC, 2 data</p> <p>Size: 304*80*5mm</p> <p>N.W: 0.5kg</p> <p>Package size:35*12*8cm</p> <p>Material: aluminum alloy</p> <p>Color: silver/black</p> <p>Voltage:110-220V/50HZ</p> <p>Ground connection</p>
Wall socket	BW-W633	 A long, narrow white wall socket with three circular ports. From left to right: a power outlet, two data ports, and an audio input.	<p>moduels: 1 power, 1audio,1 VGA, 2 data</p> <p>Size: 238*80*5mm</p> <p>N.W: 0.5kg</p> <p>Package size:27*12*8cm</p> <p>Material: aluminum alloy</p> <p>Color: silver/black</p> <p>Voltage:110-220V/50HZ</p> <p>Ground connection</p>
Wall socket	BW-W632	 A rectangular white wall socket with two circular ports. The left port is a power outlet, and the right port is a data port.	<p>moduels: 1 power, 2 data</p> <p>Size: 172*80*5mm</p> <p>N.W: 0.3kg</p> <p>Package size:20*12*8cm</p> <p>Material: aluminum alloy</p> <p>Color: silver/black</p> <p>Voltage:110-220V/50HZ</p> <p>Ground connection</p>

Wall socket	BW-W631		<p>moduels: 1 power Size: 86*86*5mm N.W: 0.2kg Package size:12*12*8cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
Wall socket	BW-W630		<p>Moduels: 3 power, 2 data, 1 VGA, 1 USB, 1 audio Size: 290*80*5mm Cable: 1.5m Package size:20*12*8cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
Cable cover	BW-T640A		<p>Open from one side without gear With 3 socket holder Material: oxidation aluminum Color: silver Size: 300*145*100mm (Width is fixed, Length can be as your request)</p>
Cable cover	BW-T640B		<p>Open from two sides with gear With 3 socket holder Material: spary paint aluminum Color: silver Size: 300*145*100mm (Width is fixed, Length can be as your request)</p>





Cable cover	BW-T640C		<p>Material:aluminium magnesium alloy Size: 276*80*28 mm (Width is fixed, Length can be as your request)</p>
Tabletop socket with brush	BW-T646		<p>Moduels: 4 power, 4 data, 2 VGA, 4 audio Panel size: 266*175mm Box size: 257*165*77mm N.W: 2.5kg Package size:29*21*9cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
Tabletop socket with brush	BW-T645A		<p>Moduels: 2 power, 2 data, 1 VGA, 2 audio Panel size: 266*130mm Box size: 257*117*77mm N.W: 1.5kg Package:carton Qty/ctn:6pcs/ctn Ctn size:56*32.5*30.5cm/ctn G.W:11kg/ctn Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>

<p>Tabletop socket with brush</p>	<p>BW-T645B</p>		<p>Moduels: 2 power, 1 data, 1 VGA, 2 audio,1USB Panel size: 266×130mm Box size: 257*117*77mm N.W: 1.5kg Package:carton Qty/ctn:6pcs/ctn Ctn size:56*32.5*30.5cm/ctn G.W:11kg/ctn Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Tabletop socket with brush</p>	<p>BW-T645C</p>		<p>Moduels: 2 power, 1 data, 1 VGA, 2 audio,1USB Panel size: 266*130mm Box size: 257*117*77mm N.W: 1.5kg Package:carton Qty/ctn:6pcs/ctn Ctn size:56*32.5*30.5cm/ctn G.W:11kg/ctn Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Tabletop socket with brush</p>	<p>BW-T644</p>		<p>Moduels: 1 three pin power, 2 data Panel size: 144*130mm Box size:132*108*77mm N.W: 0.8kg Package size:16*15*9cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>

<p>Tabletop socket with brush</p>	<p>BW-T643</p>		<p>Moduels:2 power, 2 data ,1VGA Panel size: 245*130*2mm Box size:220*107*67mm Cut hole size:224*110mm N.W: 0.8kg Package size:10PC/CTN Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Tabletop socket</p>	<p>BW-T641</p>		<p>Modules: 1 power,2 telephone, 1 double audio Product size:151*72*56mm N.W: 0.5kg Package size:18*12*9cm Material: zinc alloy/ steel Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Pneumatic pop-up tabletop socket</p>	<p>BW-T650A</p>		<p>Modules: 2power, 2 data, 1 XLR, 1 audio, 1 RCA, 1 USB, 1 VGA Panel size: 266*130*148mm Cutout size: 254*117mm N.W: 1kg Package size:29*15*17cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>

<p>Pneumatic pop-up tabletop socket</p>	<p>BW-T650B</p>		<p>Modules: 2 power, 2 data, 1 XLR, 1 audio, 1 RCA, 1 Ctrl, 1 VGA Panel size: 266*130*148mm Cutout size: 254*121mm N.W: 1kg Package size:29*15*17cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Pneumatic pop-up tabletop socket</p>	<p>BW-T650C</p>		<p>Modules: 2 power Panel size:130*130mm Cutout size: 120*120mm R=10mm N.W: 0.5kg Package size:21*15*17cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Pneumatic pop-up tabletop socket</p>	<p>BW-T651</p>		<p>Modules: 1 power, 2 data, 1 audio, 1 VGA, 1 RCA, 1 XLR Panel size:175*131*4mm Box size: 165*120*131mm N.W: 1.5kg Package size:21*16*19cm Material: aluminum alloy Color: silver/black Voltage:110-220V/50HZ Ground connection</p>

<p>Pneumatic pop-up tabletop socket</p>	<p>BW-T652</p>		<p>Modules: 1 power, 2 data, 1 audio, 1 VGA, 1 video Product size: 156*131*148mm Cutout size: 146*121mm N.W: 1.5kg Package size: 6pcs/ctn Material: aluminum alloy Color: silver/black Voltage: 110-220V/50HZ Ground connection</p>
<p>Pull out tabletop socket</p>	<p>BW-T653-01</p>		<p>Modules: 1 EU power Cables: 1 stereo audio, 1 VGA, 1 USB, 1 HDMI, 2 Network Cable length: 1.8m Product Size: 157*132*101mm Cutout size: 147*121mm R=12.7mm Material: aluminum alloy Color: silver/black Voltage: 110-220V/50HZ Ground connection</p>
<p>Pull out tabletop socket</p>	<p>BW-T653</p>		<p>Modules: 2 EU power Cables: 1 stereo audio, 1 VGA, 1 USB, 1 HDMI, 2 Network Cable length: 1.8m Product Size: 190*130*136mm Cutout size: 180*120mm R=12.7mm Material: aluminum alloy Color: silver/black Voltage: 110-220V/50HZ Ground connection</p>

<p>electric rotation socket</p>	<p>BW-T66MA</p>		<p>Modules: 3 univeral socket, 2 data , 1 vedio, 1 VGA(changeable) Material:Aluminium Color: Black/silver Panel finish: frosted/brushed Certificate:CE Voltage:110-220V/50HZ Size:379*110*103mm Cutout size:347*104mm Package:6pc/ctn Package size:48*56*38cm Cable length: 1.2m</p>
<p>manuel rotation socket</p>	<p>BW-T66EA</p>		<p>Modules: 2 univeral socket,1 data, 1 audio+MIC,1 VGA,1 USB,1 HDMI Material:Aluminium Color: Black/silver Panel finish: frosted/brushed Certificate:CE Voltage:110-220V/50HZ Size:407*110*103 mm Cutout size:378*104mm Package:6pc/ctn Package size:51*56*38cm Cable length: 1.2m</p>
<p>Screen table socket</p>	<p>BW-T67</p>		<p>Modules: 2 power 2 data 1 switch 1 fuse Size:250*62*33mm Material: aluminum alloy N.W: 1.3kg Color: silver/black Voltage:110-220V/50HZ Ground connection</p>
<p>Table round socket</p>	<p>BW-T681</p>		<p>Modules: 1 power, 2 USB charger Size: R=40mm Height: 75mm Material: plastic/aluminum alloy N.W: 0.3kg Color: white/black Voltage:110-220V/50HZ Ground connection</p>

<p>Table round socket</p>	<p>BW-T682</p>		<p>Modules: 1 power, 2 USB charger, 1 HDMI Size: R=45mm Height: 80mm Material: plastic/aluminum alloy N.W: 0.3kg Color: white/black Voltage:110-220V/50HZ Ground connection</p>
<p>Table Top Socket</p>	<p>BW-T69</p>		<p>Modules: 3 power, 2 USB charger, 1 HDMI, 1 data Size: 300*80mm Material: aluminum alloy Cable length: 1.5m Color: silver Voltage:110-220V/50HZ Ground connection</p>
<p>floor socket</p>	<p>BW-FS67</p>		<p>moduels: 2 power Material: zinc alloy Color: silver Size: 110*110*60mm G.W: 0.5KG</p>
<p>Floor Socket</p>	<p>BW-FS68</p>		<p>moduels:1 power, 1 data Material: copper alloy Color: golden Size: 110*110*60mm G.W: 0.5kg</p>

Floor Socket	BW-FS69	 A silver-colored floor socket with a hinged lid, shown open. The lid is white and has a latch. The socket face is silver and features four power outlets arranged in two rows of two.	moduels: 4 power Material: stainless steel/copper alloy Color: silver/golden Size: 120*120*60mm G.W: 1kg
Floor Socket	BW-FS70	 A yellow floor socket with a hinged lid, shown open. The lid is yellow and has a latch. The socket face is yellow and features two power outlets, one data port, and one voice port.	moduels: 2 power, 1 data, 1 voice Material: stainless steel /copper alloy Color: silver/golden Size: 120*120*60mm G.W: 1kg